

**Age-Adjusted Death Rates for Selected Causes in Total NC Population, 2002 - 2006**

<http://www.schs.state.nc.us/SCHS/deaths/lcd/2006>

<b>County</b>	<b>Total Deaths/ All Causes</b>	<b>Cancer</b>	<b>Diabetes Mellitus</b>	<b>Total Heart Disease</b>	<b>CVD</b>
Bladen County Rate	1080.6	205.2	49.6	282.9	86.9
Brunswick County Rate	828.8	190.1	20.7	212.6	51.2
Columbus County Rate	1077.8	208	27.8	319.9	62.6
New Hanover County Rate	818.3	192.5	22.4	216.1	54
Pender County Rate	825.2	203.1	30.1	211.8	63.1
Robeson County Rate	1098	218.4	60.1	297.9	74.5
Sampson County Rate	983.3	212.7	43.5	233.2	87.2
Scotland County Rate	1021.1	225.1	45.4	269.5	88.7
Average CCHA Region Rate	966.64	206.8875	37.45	255.49	71.03
North Carolina Rate	885.2	196.4	27.1	217.9	61.1

**Pneumonia/ Influenza**

19.8  
17.5  
25.9  
17  
18.1  
19.2  
17.7  
14.8  
18.75  
22.5

**Age-Adjusted Death Rates for Selected Causes in Total NC Population, 2002 -200**  
<http://www.schs.state.nc.us/SCHS/deaths/lcd/2006>

<b>County</b>	<b>Chronic Lower Respiratory Disease</b>	<b>Chronic Liver Disease &amp; Cirrhosis</b>	<b>Other Unintentional Injury/ Accidents</b>
Bladen County Rate	63.3	10.4	33.8
Brunswick County Rate	54	7.5	32.3
Columbus County Rate	54.8	11.3	39
New Hanover County Rate	38	8.7	26.4
Pender County Rate	39.5	9.8	20.8
Robeson County Rate	42	11.1	23.2
Sampson County Rate	43.1	1.05	31.2
Scotland County Rate	39.8	17	20.6
Average CCHA Region Rate	46.81	9.61	28.41
North Carolina Rate	47.1	8.8	27

16 continued


**Motor Vehicle**

<b>Accidents</b>	<b>Suicide</b>	<b>Homicide</b>
34.3	12.7	9.4
28.4	12	6.5
44	10.8	16.3
11.7	12.1	4.9
24.6	13	5.1
43.3	10.5	20.8
33.5	9	11.8
24.8	9.9	11.8
30.58	11.25	10.83
19.1	11.6	7.2


Age-Adjusted Death Rates for Selected Causes in Total NC Population, 200-2006 continued  
<http://www.schs.state.nc.us/SCHS/deaths/lcd/2006>

<b>County</b>	<b>Septicemia</b>	<b>Nephritis</b>	<b>HIV</b>
Bladen County Rate	21.8	22.1	7.1
Brunswick County Rate	18.5	17.3	2.2
Columbus County Rate	23.9	35.1	6.9
New Hanover County Rate	9.1	17.4	4.2
Pender County Rate	11.8	21.5	1.6
Robeson County Rate	19.3	25.8	8.9
Sampson County Rate	10	20.6	5.3
Scotland County Rate	11.7	14.6	5.3
Average CCHA Region Rate	16	22	5
North Carolina Rate	14.4	18.2	5.1


Age-Adjusted Death Rates for Suicide & Homicide in Total NC Population, 2002 - 2006




**Age-Adjusted Death Rates for Total Deaths/All Causes in Total NC Population, 2002-2006**




**Age-Adjusted Death Rates for Total Cancer in Total NC Population, 2002-2006**




**Age-Adjusted Death Rates for Diabetes Mellitus in Total NC Population, 2002-2006**




**Age-Adjusted Death Rates for Heart Disease in Total NC Population, 2002-2006**




**Age-Adjusted Death Rates for Cerebrovascular Disease in Total NC Population, 2002-2006**




**Age-Adjusted Death Rates for Pneumonia/Influenza in Total NC Population, 2002-2006**




**Age-Adjusted Death Rates for Chronic Lower Respiratory Disease in Total NC Population,  
2002-2006**




**Age-Adjusted Death Rates for Chronic Liver Disease & Cirrhosis in Total NC Population,  
2002-2006**




**Age-Adjusted Death Rates for Other Unintentional Injury/Accidents in Total NC Population,  
2002-2006**




**Age-Adjusted Death Rates for Motor Vehicle Accidents in Total NC Population, 2002-2006**




**Age-Adjusted Death Rates for Suicide in Total NC Population, 2002-2006**




Age-Adjusted Death Rates for Homicide in Total NC Population, 2002-2006



**Age-Adjusted Death Rates for Septicemia in Total NC Population, 2002-2006**



**Age-Adjusted Death Rates for Nephritis in Total NC Population, 2002-2006**



Age-Adjusted Death Rates for HIV in Total NC Population, 2002-2006

